

IN THE CLAIMS

Please amend the claims as follows:

Claim 1. (Currently Amended) A cosmetic pack, comprising:

- (a) 5-20 wt% of polyvinyl alcohol; and
- (b) 0.01-10 wt% of a titanium-titanium dioxide sinter;
- (d) a water-soluble thickener as a component;
- (f) a polyglycerol fatty acid ester; and

water;

wherein said cosmetic pack is a peel-off cosmetic pack.

Claim 2. (Previously Presented) The cosmetic pack according to claim 1, further comprising an anionic surfactant as a component (c).

Claim 3. (Previously Presented) The cosmetic pack according to claim 2, wherein the anionic surfactant of the component (c) is one or more anionic surfactants selected from the group consisting of a phosphate-based anionic surfactant, a sulfonate-based anionic surfactant, and a sulfate-based anionic surfactant.

Claim 4. (Canceled)

Claim 5. (Previously Presented) The cosmetic pack according to claim 1, wherein the compound (d) is a water swelling clay mineral and/or fine particles of amorphous silicic anhydride.

Claim 6. (Previously Presented) The cosmetic pack according to claim 1, wherein the polyvinyl alcohol of the component (a) is a mixture of

(A) a polyvinyl alcohol of which the aqueous solution with a concentration of 4 wt% has a viscosity at 20°C of 1 mPa·s or more, but less than 30 mPa·s, and

(B) a polyvinyl alcohol of which the aqueous solution with a concentration of 4 wt% has a viscosity at 20°C of 30 mPa·s or more, but less than 70 mPa·s.

Claim 7. (Previously Presented) The cosmetic pack according to claim 6, wherein the weight ratio of the polyvinyl alcohol (A) to the polyvinyl alcohol (B) in the component (a) is 0.05-2.

Claim 8. (Previously Presented) The cosmetic pack according to claim 1, further comprising a water-soluble ascorbic acid derivative and/or a water-soluble glycyrrhizic acid derivative as a component (e).

Claim 9. (Canceled)

Claim 10. (Previously Presented) The cosmetic pack according to claim 2, wherein the anionic surfactant of the component (c) is dioctyl sodium sulfosuccinate.

Claim 11. (Previously Presented) The cosmetic pack according to claim 1, wherein component (a) is dissolved in water.

Claim 12. (Previously Presented) The cosmetic pack according to claim 1, wherein said component (b) is produced by mixing fine particles of titanium and titanium oxide at a

ratio of 1:5 and sintering the mixture at a temperature of 900-1000°C under reduced pressure for 3-5 hours.

Claim 13. (Previously Presented) The cosmetic pack according to claim 1, wherein said component (b) has a particle diameter of 0.6 to 2.0µm.

Claim 14. (Previously Presented) The cosmetic pack according to claim 1, wherein said component (b) comprises a mixture of two or more different titanium-titanium dioxide sinters.

Claim 15. (Canceled)

Claim 16. (Previously Presented) The cosmetic pack according to claim 1, wherein said component (b) is produced by mixing fine particles of titanium and titanium oxide at a ratio of 1:5 and sintering the mixture.

Claim 17. (Previously Presented) The cosmetic pack according to claim 1, comprising 7-15 wt% of component (a).

Claim 18. (New) The cosmetic pack according to claim 1, wherein said polyglycerol fatty acid ester is selected from the group consisting of decaglyceryl monolaurate, decaglyceryl monostearate, decaglyceryl monoisostearate, decaglyceryl monooleate, decaglyceryl distearate, decaglyceryl diisostearate, decaglyceryl dioleate, decaglyceryl tristearate, decaglyceryl triisostearate, decaglyceryl trioleate, decaglyceryl pentastearate, decaglyceryl pentaisostearate, decaglyceryl pentaoleate, hexacaglyceryl monolaurate,

hexaglyceryl monostearate, hexaglyceryl monoisostearate, hexaglyceryl monooleate, and mixtures thereof.

Claim 19. (New) The cosmetic pack according to claim 1, wherein said polyglycerol fatty acid ester is present in an amount of from 0.001-5 wt.%.